

# CUTTER MIXERS VEGETABLE PREPARATION MACHINES COMBINED MACHINES



Distributed by:





Designed and made in Sweden since 1941, Hallde machines are internationally recognised for their quality, reliability and precision cutting by those who value simplified life in the kitchen.

### The comprehensive range includes:

- Vegetable Preparation Machines
- Vertical Cutters
- Combination Machines, providing both vegetable preparation and vertical cutting capabilities

### All Hallde machines are designed with the following attributes:

- 1. Ergonomics leaning design on vegetable preparation machines to facilitate easy body movement when operating.
- 2. Hygiene made with as many dishwasher friendly parts as practical. All cutting tools can be washed in the dishwasher.
- 3. Robustness components have been tested to ensure long term use. You are buying a workhorse.
- 4. Perfect cuts every time no matter which machine you purchase, the quality of cuts is the same from the smallest to largest machines.
- 5. High Capacity the machines are designed for continuous operation without stopping and for easy change-over of cutting tools allowing many types of product to be freshly prepared in a short period of time.
- 6. Safety machines include double or triple safety features. All machines are CE & CB (independent laboratory certification) approved, assuring utmost safety for even the most junior operator.

### Metcalfe Warranty

All Metcalfe products are guaranteed against defects in material and workmanship for a period of one year from date of invoice, except where specifically noted.

The Company's obligation under this warranty is limited to repairing or replacing, without charge, any part or parts found to be defective under normal use, in accordance to the specified operations manual and capacity ratings.

On all return to factory warranty items, it is the responsibility of the purchaser to return the entire unit to the factory, in a clean condition, properly packed and labelled.

All repairs, alterations or replacement of materials or parts not authorised by Metcalfe will automatically void all warranties in their entirety.

There is a limited 6-month warranty on parts purchased or supplied for the repair of Metcalfe equipment.

This warranty does not cover the following:

- Failure due to neglect, abuse, careless handling or misuse of machine
- Failure caused due to improper maintenance
- Blender clutches
- Sharpening of blades
- General wear and tear

Metcalfe and its suppliers reserve the right to make changes in design and specification to any product without prior notification.

# Terms & Conditions



These conditions of sale supersede all previous agreements.

- All invoices are to be paid in full, 30 days from the date of invoice unless otherwise agreed.
- All prices guoted or listed are exclusive of VAT and are subject to change without notification.
- The title of all goods remain vested in Metcalfe Catering Equipment Ltd and shall not pass to the buyer or the buyer's customer until all debts owed to Metcalfe, including any existing balances, are paid in full. Metcalfe reserve the right to reclaim any goods that remain unpaid under this clause.
- No goods may be returned without authorisation from Metcalfe. Any goods returned without authorisation will be refused and returned to sender.
- Any order supplied correctly will be subject to a 15% handling fee if returned within 4 weeks of purchase goods are non-returnable after 4 weeks.
- Special orders are non-returnable.
- Prices for export orders will be quoted 'ex-works' and are available on request.
- Metcalfe will not be held responsible for any losses incurred in the unlikely event of equipment malfunction.
- All discounts offered are settlement discounts and therefore Metcalfe reserve the right to revoke all discounts in the event of late account settlement.

### Delivery

Orders must be received by midday (11am on Friday) for despatch the same day.

### Orders of £250 or less:

Delivery will be charged at a rate of 10% of net value on all equipment orders of £250 or less (2 day service on stock items) with a minimum charge of £10.00, up to a maximum of £25.00.

### Orders of more than £250:

All machines, including non-returnable packaging, are delivered carriage paid (2 day service on stock items) to destinations within the British mainland on orders of more than £250.

Carriage is charged at cost to all other destinations: Northern Ireland, Isle of Man, Isle of Wight, Scottish Isles, Scottish Highlands, Channel Islands and Eire and the following post codes AB, IV, PA, PH, HS, KA, KW, ZE.

### Spare Parts

Carriage is calculated at a rate of 10% of the net value of goods ordered with a minimum charge of £10.00, up to a maximum of £25.00 (2 day service on stock items).

### Overnight & Specific Timed Delivery

Overnight and/or specific timed delivery of equipment or spare parts will incur a charge. This charge is dependent on service required, weight of goods and destination.

### Specific timed delivery options available are:


Monday - Saturday: 10.30am, 12:00pm or end of working day.

Metcalfe is not responsible for any damage or loss incurred while merchandise is in the hands of the carrier. (Please inform Metcalfe of any loss or damage immediately). All consignments must be checked for damage on delivery and signed for as damaged if carrier refuses to wait. Any damaged goods must be reported to us within 24hrs of delivery.

By placing an order with Metcalfe Catering Equipment Ltd you are entering into a contract bound by the above terms and conditions.



# Hallde Made Easy



### VEGETABLE PREPARATION MACHINE



Approximately how many kilograms per minute/hour? Up to:

2 kg/min RG-50 RG-50S (pg 8-9)

5 kg/min RG-100

(pg 10-11)

7 kg/min **RG-200** 

(pg 12-13)

10 kg/min RG-250 RG-250 diwash (pg 14-15)









30 kg/min **RG-350** (pg 16-18)



40 kg/min RG-300i (pg 19-20)

60 kg/min RG-400i-3PH (pg 21-25)



### COMBI CUTTER



Up to 2 kg/minute of slice/dice/grate/julienne + 3 litres of processing at a time

CC-32S

CC-34

(pg 28-29)

(pg 30-31)





For larger quantities two machines are recommended

Vegetable Preparation Machine

Vertical Cutter Mixer/Blender

### VERTICAL CUTTER MIXER/BLENDER



How many litres do you wish to process at a time? Up to:

3 litres VCB-32

(pg 33)

4 litres VCM-41 VCM-42-3PH (pg 34-35) 6 litres VCB-61 VCB-62-3PH (pg 35-36)







# Table of Contents

Warranty	2
Terms & Conditions	3
Vegetable Preparation Range	5-25
Cutting tool guide	6-7
Tips and Tricks	26
Combi Cutter Range	27-31
Vertical Cutter Blenders/Mixers Range	32-36
Machine Dimensions and Net Weights	37-39

# Vegetable Preparation Range



### Type of Processing:

Slices, dices, grates, shreds, cuts julienne, French fries and crimping slices in a variety of dimensions, depending on the cutting tool and model of Vegetable Preparation Machine selected.

### Suitable For:

Hallde's wide range suits the smallest café up to food processing industries.

### Why choose a Hallde Vegetable Preparation Machine?

- The wide range of models
- A wide selection of cutting tools
- Fast and easy cleaning
- Time saving
- Exemplary safety
- Outstanding quality
- Efficient start/stop function for continuous feeding
- A precise and clean cut
- Easy moving and storing



# Vegetable Preparation Cutting Tool Guide

All cutting tools can be cleaned in a dishwasher.

	CC-32S RG-50S	CC-34 RG-50	RG-100	RG-250 RG-250 DIWASH	RG-300i RG-400i
1	H85001	H85001	-	-	
2	H85002	H85002	-	-	
4	H85004	H85004	_	-	
6	H85006	H85006	_	-	
0.5	11/2150	H63159	11/2150	11/2122	H630
0.5	H63159 H63157	H63157	H63159 H63157	H63133 H63058	H630
1.5	H63109	H63109	H63109	H63111	H630
2	H63114	H63114	H63114	H63116	H630
3	H63161	H63161	H63161	H63162	H630
4	H63089	H63089	H63089	H63091	H630
5	H63163	H63163	H63163	H63164	H630
6	H63094	H63094	H63094	H63096	H630
7	H63165	H63165	H63165	H86028 H63101	H630
8	H63099 H86030	H63099 H86030	H63099 H86030	H86036	H630
10	H63104	H63104	H63104	H63106	H630
2 3	_		-	-	H650
4				_	H650
6	_	_	_	_	H650
8	_	_	_	_	H650
10	_	_	_	_	H650
ised 12	-	-	-	-	H650
15	-	-	_	-	H650
20	-	-	-	-	H650
14	_	_	_	_	H623
15	H83373	H83373	H83373	H82519	
20	-	-	_	-	H623
20	-	_	_	H82395	
8	-	H83375	H83375	H82532	H625
10	-	H83364	H83364	H82510	H625
12	-	H83385	H83385	H82557	H625
ed 15	-	H83383	H83383	H82554	H625
4	H85048	H85048	_	_	
rots.					
2	H63362	H63362	H63362	H63352	
3	H63363	H63363	H63363	H63353	H633
4	H63141	H63141	H63141	H63117	H630
5	H63365	H63365	H63365	H63355	H633
rots. 6	H63149	H63149	H63149	H63177	H630
. 2	_	_	_	_	H650
е 3	-	_	_	-	H650
4	-	-	_	-	H650
6	_	-	_	_	H650
2 X 2	H85057	H85057	_	-	
4 X 4	H85050	H85050	-	-	
	2 X 2 4 X 4		ME CONTROL OF THE CON	(E)	7Ep

ć

163346 163350 163128 - - - - - - - - - - - - - - - - - - -	H63122 H63346 H63350 H63128	H63122 H63346 H63350 H63128 H63138 H63146 H63154	H63132 H63347 H63351 H63130 H63140 H63148 H63156	H6321: H6334! H6334' H6306: H6307:
163350 163128 - - - - - - - - - - - - -	H63350 H63128 - - -	H63350 H63128 H63138 H63146 H63154	H63351 H63130 H63140 H63148	H6334 H6306 H6306!
	H63128	H63128 H63138 H63146 H63154	H63130 H63140 H63148	H6306
- - - - - - - - - - 185044		H63138 H63146 H63154	H63140 H63148	H6306
- - - - - - - - - 185044		H63146 H63154	H63148	
- - - - - - - - 185044	-	H63154		H6307
- - - - - - - 185044	-		H63156	
- - - - - - 185044		-		H63080
- - - - - - 185044	_		-	H65000
- - - - - 185044			-	H65049
- - - 185044	-	-	-	H65004
- - 185044 185040	-	-	-	H65056
l85044 l85040		_		H65010
185040	_	_	_	H6501!
185040	H85044	_		
	H85040			
185045	H85045		_	
	'			
183210	H83210	H83210	H83421	H62630
183211	H83211	H83211	H83422	H6263
183212	H83212	H83212	H83423	H62632
183213	H83213	H83213	H83424	H62633
183216	H83216	H83216	H83425	H6263
	H83214	H83214	H83426	H6263
183272	H83272	H83272	H83427	H6263
183215	H83215	H83215	H83428	H6263
183249	H83249	H83249	Н83430	H6263 <sup>(</sup>
183284	H83284	H83284	H83429	H62638
				L12717
_	-	-	-	H3717 H3717
_	_		_	H3717
-	-	-	_	H3718
-	-	-	-	H3718
-	-	_	-	H3718
-	-	-	-	H3718
-	-	_	-	H3718
-	-	-	-	H3718
-	-	-	-	H3718
-	-		-	
-	-	H83290	H83290	
-	H83291	H83291	H83291	
-	H83292	H83292	H83292	
-		H83293		
-				
-				
	П83296			
-	-			
	-	H83298	*H83298	
-	-	_	*H86510	H3717
-	- - -	- H83294 - H83295 - H83296 	- H83294 H83294 - H83295 H83295 - H83296 H83296 - H83297 - H83298 	- H83294 H83294 H83294 - H83295 H83295 H83295 - H83296 H83296 H83296 H83297 H83297 H83298 H83298 + H83299





30+ cuts...







Does not dice for dicing see **RG-50** 

# Vegetable Preparation Machine RG-50S

Vegetable prep machine with 30 different cuts possible. Slice, crimp, julienne & shred/grate - 80 portions/day, 2kg/minute. Duty cycle 360kg/day.

- Built-in tube feeder with half moon feed head
- ABS machine housing with Feed Cylinder and pusher made from robust polycarbonate
- Precise clean cut
- Efficient start/stop function for continuous feeding
- Built in feed tube
- Fast and easy cleaning

- Lightweight and easy to move
- Speed 500rpm
- Over 30 different discs available to suit your requirements (see cutting tools list). This machine does not dice, for dicing see RG-50
- 1,000W, supplied with cord and 10 amp plug



### RG-50S and RG-50 Cutting tools

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



Slicer * *	
Item No.	Dimension
H63159	0.5 mm
H63157	1 mm
H63109	1.5 mm
H63114	2 mm

H63161 3 mm H63089 4 mm H63163 5 mm H63094 6 mm H63165 7 mm H63099 8 mm H86030 9 mm H63104 10 mm



Slicer <sup>▲</sup> <sup>第</sup>

Item No.	Dimensi
H85001	1 mm
H85002	2 mm
H85004	4 mm
H85006	6 mm



Fine Cut Slicer ◆ ★

Item No. Dimension H83373 15 mm



### Crimping Slicer <sup>₩</sup>

Item No. Dimension H85048 4 mm



### Julienne Cutter <sup>₩</sup>

Item No. Dimension H85057 2x2 mm H85050 4x4 mm



### Soft Slicer RG-50 (only) ★

Dimension Item No. H83375 8 mm H83364 10 mm H83385 12 mm H83383 15 mm



### Crimping Slicer \*

Item No. Dimension H63362 2 mm H63363 3 mm H63141 4 mm H63365 5 mm H63149 6 mm



### Julienne Cutter \*

Item No. Dimension H63122 2x2 mm H63346 2x6 mm H63350 3x3 mm H63128 4x4 mm



Grater/Shredder 🗷				
Item No.	Dimension			
H83210	1.5 mm			
H83211	2 mm			
H83212	3 mm			
H83213	4.5 mm			
H83216	6 mm			
H83214	8 mm			
H83272	10 mm			



### Grater/Shredder <sup>₩</sup>

Item No.	Dimension
H85044	2 mm
H85040	4 mm
H85045	6 mm



### Fine Grater★

Item No. Dimension H83215 Fine Grater



### Hard Cheese Grater★

Item No. Dimension H83249 Hard Cheese Grater



### Fine Grater, extra fine \*

Item No. Dimension H83284 Fine Grater, extra fine

★ Blade replaceable ₩ Blade NOT replaceable

◆ Some sizes can be used with dicing grids (in RG-50 only) ▲ Slicer style cannot be used with dicing grids











Dicing compatible with optional cutting tools



# Vegetable Preparation Machine RG-50

Vegetable prep machine with 40 different cuts possible.

Slice, crimp, julienne, shred/grate & dice - 80 portions/day, 2kg/minute. Duty cycle 360kg/day.

- Built-in tube feeder with half moon feed head
- ABS machine housing and with Feed Cylinder and pusher made from robust polycarbonate
- Precise clean cut
- Efficient start/stop function for continuous feeding
- Lightweight and easy to move
- Built in feed tube

- Fast and easy cleaning
- Speed 500rpm
- Over 40 different discs available to suit your requirements (see cutting tools list). This machine is dicing compatible
- 1,000w, supplied with cord and 10 amp plug



### RG-50 Cutting tools - see page 8 in addition to dicing grids below

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.

### Dicing Grid (RG-50 only) ₩

- use with appropriate Slicers on page 6, as per below.
- note there are two Slicer styles & only one style is compatible with dicing grids.

Item No.	Dimension	Description
H83291	8x8 mm	Use with 3 mm–8 mm Slicers or 8 mm Soft Slicer
H83292	10x10 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83293	12x12 mm	Use with 3 mm–10 mm Slicers or 8 mm–10 mm Soft Slicers
1100271	12/112 111111 2011	Use with 12 mm Soft Slicer
H83295	15x15 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83296	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers or 15 mm Fine Cut Slicer

### RG-50S and RG-50 Recommended cutting tool packages

Item No.	Description
H84081	Cutting tools 2-pack. Slicer 4 mm. Grater/Shredder 4 mm
H84082	Cutting tools 4-pack. Slicer 2 and 4 mm. Grater/Shredder 4 mm. Julienne 2x2 mm



H84081



H84082

### RG-50S and RG-50 Optional accessories

H1076 Wall Rack for 3 cutting tools
H10037 Cleaning Brush - small
H10020 Cleaning Brush - large



Cleaning Brush small/large



Wall Rack for 3 cutting tools





















Dicing compatible with optional cutting tools

# Vegetable Preparation Machine RG-100

High volume vegetable prep machine with 45 different cuts possible. Slice, crimp, julienne, shred/grate & dice - 400 portions/day, 5kg/minute. Duty cycle 900kg/day.

- All metal machine housing & feed head
- Ergonomic leaning design, easy to feed
- Half moon feed head with built-in feed tube

45+ cuts...

- Robust heavy duty machine
- Table top model, handle enables easy moving
- Can be used on the optional Machine Table to adjust operating height
- Efficient start/stop for continuous feeding

- Cutting tools with replaceable knife blade
- Optional feeder enables angle cut slices
- Speed 350rpm, perfect speed for precise vegetable cutting
- Exemplary safety
- Fast and easy cleaning
- 250W, supplied with cord and 10 amp plug
- RG-100-3PH (3 phase) available on application



### **RG-100 Optional accessories**

Item No.	Description
H1076	Wall Rack for 3 cutting tools
H10037	Cleaning Brush - small
H10020	Cleaning Brush - large
H1345	Angle Cut Feed Head
H1154	Pipe Insert incl. Pestle

H40721 Container Trolley, stainless steel, with handle, lockable wheels,

adjustable level to suit gastronorm container 1/1-200

H25270 Machine Table, stainless steel fits full gastronorm containers





Angle Cut Feed Head in use, (sold separately).



Wall Rack for 3 cutting tools.



Cleaning Brush small/large



Angle Cut



Pipe Insert and Pestle



Container Trolley



Machine Table



RG-100 on Machine Table

### RG-100 Recommended cutting tool packages

Item No.	Description
H84010	Cutting tools 4-pack including 2 Wall Racks. Slicer 1.5 and 4 mm. Grater/Shredder 2 and 8 mm
H84011	Cutting tools 7-pack including 3 Wall Racks. Slicer 1.5, 4, and 10 mm. Grater/Shredder 2 and 8 mm. Dicing Grid 10x10 mm. Julienne 4x4 mm
•	









### RG-100 Cutting tools (continued)

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



Slicer ◆ ★	
Item No.	Dimensio
H63159	0.5 mm
H63157	1 mm
H63109	1.5 mm
H63114	2 mm
H63161	3 mm
H63089	4 mm
H63163	5 mm
H63094	6 mm
H63165	7 mm
H63099	8 mm
H86030	9 mm
H63104	10 mm



Soft Slicer	<b>*</b> *
Item No.	Dimension
H83375	8 mm
H83364	10 mm
H83385	12 mm

15 mm

H83383



Crimping Slicer *		
Item No.	Dimension	
H63362	2 mm	
H63363	3 mm	
H63141	4 mm	
H63365	5 mm	
H63149	6 mm	



Julienne Cutter \* Item No. Dimension H63122 2x2 mm H63346 2x6 mm H63350 3x3 mm H63128 4x4 mm H63138 6x6 mm H63146 8x8 mm H63154 10x10 mm



Grater/Shredder ★ Item No. Dimension H83210 1.5 mm H83211 2 mm H83212 3 mm H83213 4.5 mm H83216 6 mm H83214 8 mm H83272 10 mm



Fine Grater, extra fine \*

Item No. Dimension H83284 Fine Grater, extra fine



Fine Cut Slicer ◆ ★

Item No.



Hard Cheese Grater ★

Item No. Dimension H83249 Hard Cheese Grater





Item No. Dimension H83215 Fine Grater

**★** Blade replaceable

♦ Some sizes may be used with dicing grids

### Dicing Grid ₩

- use with appropriate Slicers above, as per below

Item No.	Dimension	Description
H83290	6x6 mm	Use with 3 mm–6 mm Slicers
H83291	8x8 mm	Use with 3 mm–8 mm Slicers or 8 mm Soft Slicers
H83292	10x10 mm	Use with 3 mm–10 mm Slicers or 8 mm-10 mm Soft Slicers
H83293	12x12 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83294	12x12 mm Low	Use with 12 mm Soft Slicer
H83295	15x15 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83296	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers or 15 mm Fine Cut Slicer
H83297	20x20 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83298	20x20 mm Low	Use with 15 mm Soft Slicers or 15 mm Fine Cut Slicer





Half Moon Feed Cylinder



Stacking of tomatoes



Feed tube



Easy to move



Machine washable parts













Dicing compatible with optional cutting tools

# Vegetable Preparation Machine RG-200

High volume vegetable prep machine with 45 different cuts possible. Slice, crimp, julienne, shred/grate & dice - 700 portions/day, 7kg/minute. Duty cycle 360kg/day.

- All metal machine housing & feed head
- Ergonomic leaning design, easy to feed
- Full moon shaped feed head with built in feed tube
- Optional feeder enables angle cut slices
- Robust heavy duty machine
- Table top model, handle enables easy moving
- Can be used on the optional Machine Table to adjust operating height

- Efficient start/stop for continuous feeding
- Cutting tools with replaceable knife blade
- Speed 350rpm, best speed for precise vegetable cutting
- Exemplary safety
- Fast and easy cleaning
- 250W, supplied with cord & 10 amp plug
- RG-200-3PH (3 phase) available on application







Angle Cut Feed Head in use, (sold separately).

### Lightweight and easy to move

The relatively small size of the machine ensures that it does not take up a lot of space in the kitchen and can be used as a table top machine. It is also easy to move thanks to the generously sized handle on the back.



### Safe and quick top ups

Thanks to the automatic start and stop function the machine stops as soon as the pusher plate is swung aside. When swung back, it automatically restarts so you can continue working. The full moon cylinder can hold larger quantities and whole products, which is particularly useful with processing large volumes.



### **RG-200 Optional accessories**

Item No

reciti i vo.	Description
H1076	Wall Rack for 3 cutting tools
H10037	Cleaning Brush - small
H10020	Cleaning Brush - large
H1345	Angle Cut Feed Head
H1154	Pipe Insert incl. Pestle
H40721	Container Trolley, stainless steel, with handle, lockable wheels, adjustable level to suit gastronorm container 1/1-200
H25270	Machine Table, stainless steel fits full gastronorm container





Cleaning Brush small/large



Pipe Insert and Pestle



Container Trolley



Machine Table



Angle Cut Feed Head









Full Moon Feed Cylinder

Stacking of tomatoes on cylinder wall

Feed tube

Easy to move

Machine washable parts



### **RG-200 Cutting tools**

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



Slicer ◆ ★	
Item No.	Dimension
H63133	0.5 mm
H63058	1 mm
H63111	1.5 mm
H63116	2 mm
H63162	3 mm
H63091	4 mm
H63164	5 mm
H63096	6 mm
H86028	7 mm



Standard Slicer \* Item No. Dimension H82395 20 mm



Soft Slicer	<b>*</b> *
Item No.	Dimension
H82532	8 mm
H82510	10 mm
H82557	12 mm
H82554	15 mm



Fine Cut Slicer ◆ ★ Item No. Dimension H82519 15 mm



Crimping Slicer *		
Item No.	Dimension	
H63352	2 mm	
H63353	3 mm	
H63117	4 mm	
H63355	5 mm	
H63177	6 mm	



Julienne Cutter \* Item No. Dimension H63132 2x2 mm H63347 2x6 mm H63351 3x3 mm H63130 4x4 mm H63140 6x6 mm H63148 8x8 mm H63156 10x10 mm



Grater/Shredder *		
Item No.	Dimension	
H83421	1.5 mm	
H83422	2 mm	
H83423	3 mm	
H83424	4.5 mm	
H83425	6 mm	
H83426	8 mm	



10 mm

### Fine Grater ★

H83427

ltem No.	Dimension
H83428	Fine Grater



### Hard Cheese Grater \*

Item No. Dimension H83430 Hard Cheese Grater



### Fine Grater, extra fine ★

Dimension Item No. H83429 Fine Grater, extra fine



# ★ Blade replaceable

H63101

H86036

H63106

• Some sizes may be used with dicing grids

8 mm

9 mm

10 mm

### Dicing Grid ₩

- use with appropriate Slicers above, as per below

Item No.	Dimension	Description
H83290	6x6 mm	Use with 3 mm–6 mm Slicers
H83291	8x8 mm	Use with 3 mm–8 mm Slicers or 8 mm Soft Slicer
H83292	10x10 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83293	12x12 mm	Use with 3 mm–10 mm Slicers or 8 mm-10 mm Soft Slicers
H83294	12x12 mm Low	Use with 12 mm Soft Slicer
H83295	15x15 mm	Use with 3 mm–10 mm Slicers or 8 mm-10 mm Soft Slicers
H83296	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers or 15 mm Fine Cut Slicer
H83297	20x20 mm	Use with 3 mm–10 mm Slicers or 8 mm-10 mm Soft Slicers
H83298	20x20 mm Low	Use with 15 mm Soft Slicers or 15 mm Fine Cut Slicer

### RG-200 Recommended cutting tool packages

Item No.	Description
H84012	Cutting tools 4-pack including 2 Wall Racks. Slicer 1.5 and 4 mm. Grater/Shredder 2 and 8 mm
H84013	Cutting tools 7-pack including 3 Wall Racks. Slicer 1.5, 4 and 10 mm. Grater/Shredder 2 and 8 mm. Dicing Grid 10x10 mm. Julienne 4x4 mm





















Dicing & chip compatible with optional cutting tools

# Vegetable Preparation Machine RG-250 & RG-250 diwash

High volume vegetable prep machine with more than 50 different cuts.

Slice, crimp, julienne, shred/grate, dice & potato chip - 1000 portions/day, 10kg/minute. Duty cycle 1.4 tonnes/day.

### **RG-250**

- All metal machine housing & feed head
- Full moon shaped feed head with ergo loop handle for easy, leveraged feeding
- Built in feed tube
- Ergonomic leaning design, easy to feed
- Robust heavy duty machine
- Table top model, handle enables easy moving
- Can be used on the optional Machine Table to adjust operating height
- Efficient start/stop for continuous feeding
- Cutting tools with replaceable knife blade
- Speed 350rpm, best speed for precise vegetable cutting
- Exemplary safety

H25270

- Fast and easy cleaning
- Over 48 different heavy duty cutting tools available to suit all requirements
- 550W, supplied with cord and 10 amp plug
- RG-250-3PH (3 phase) available on application

### RG-250 diwash

- RG-250 diwash (coming in contact with food) have a patented coating enabling easy cleaning
- Smooth surface with minimal friction in food-zones, saving time







Easy cleaning

RG-250 diwash RG-250

### RG-250 & RG-250 diwash optional accessories

Item No.DescriptionH1076Wall Rack for 3 cutting toolsH10037Cleaning Brush - smallH10020Cleaning Brush - large

H40721 Container Trolley, stainless steel, with handle, lockable wheels, adjustable level to suit gastronorm container 1/1-200

Machine Table, stainless steel fits full gastronorm container



Cleaning Brush small/large



Container Trolley Machine Table



### RG-250 & RG-250 diwash recommended cutting tool packages

H84012 Cutting tools 4-pack including 2 Wall Racks. Slicer 1.5 and 4 mm. Grater/Shredder 2 and 8 mm

Cutting tools 7-pack including 3 Wall Racks. Slicer 1.5, 4 and 10 mm. Grater/Shredder 2 and 8 mm.

Dicing grid 10x10 mm. Julienne 4x4 mm





H84012





### RG-250 & RG-250 diwash cutting tools

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



Slicer ◆ ★	
Item No.	Dimension
H63133	0.5 mm
H63058	1 mm
H63111	1.5 mm
H63116	2 mm
H63162	3 mm
H63091	4 mm
H63164	5 mm
H63096	6 mm
H86028	7 mm
H63101	8 mm
H86036	9 mm

10 mm

Dimension

6x6 mm

8x8 mm

10x10 mm

12x12 mm 12x12 mm Low

15x15 mm

20x20 mm

15x15 mm Low

20x20 mm Low

20x20 mm Extra Low

• Some sizes may be used with dicing grids

- use with appropriate Slicers above, as per below

H63106

Item No.

H83290

H83291

H83292

H83293

H83294

H83295

H83296

H83297

H83298

H83299

★ Blade replaceable

Dicing Grid #



Standard Slicer \* Item No. Dimension H82395 20 mm



Soft Slicer	<b>*</b> *
Item No.	Dimension
H82532	8 mm
H82510	10 mm
H82557	12 mm
H82554	15 mm

Description

Use with 3 mm-6 mm Slicers

Use with 12 mm Soft Slicer

Use only with standard Slicer 20 mm

Use with 3 mm-8 mm Slicers or 8 mm Soft Slicer

Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers

Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers

Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers

Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers

Use with 15 mm Soft Slicers or 15 mm Fine Cut Slicer

Use with 12 mm-15 mm Soft Slicers or 15 mm Fine Cut Slicer



Fine Cut Slicer ◆ ★ Item No. Dimension H82519 15 mm



Crimping Slicer \* Item No. Dimension H63352 2 mm H63353 3 mm H63117 4 mm H63355 5 mm H63177 6 mm



Julienne Cutter \* Item No. Dimension H63132 2x2 mm H63347 2x6 mm H63351 3x3 mm H63130 4x4 mm H63140 6x6 mm H63148 8x8 mm H63156 10x10 mm



Grater/5	nreader
Item No.	Dimensio
H83421	1.5 mm
H83422	2 mm
H83423	3 mm
H83424	4.5 mm
H83425	6 mm
H83426	8 mm
H83427	10 mm

Crotor/Chroddor



Fine Grater ★

Item No Dimension H83428 Fine Grater



### Hard Cheese Grater

Item No Dimension H83430 Hard Cheese Grater



### Fine Grater, extra fine ★

Item No. Dimension H83429 Fine Grater, extra fine



### Potato Chip Grid ★

Item No. Dimension H86510 10 mm

Description

Use with 10 mm Slicer or 10 mm Soft Slicer















Full Moon Feed Cylinder

Stacking of tomatoes on cylinder wall

Feed tube

Easy to move

Machine washable parts











Dicing & chip compatible with optional cutting tools

# Vegetable Preparation Machine RG-350

Very high capacity vegetable preparation. Make more than 50 different cuts. Slice, crimp, julienne, shred/grate, dice & potato chip.

Processes up to 1,500 portions/day, 15 kg/minute.

- All metal machine housing & feed head
- Manual Push Feeder featuring the ergo loop handle
- Full moon shaped Feed Cylinder
- Ergonomic leaning design, easy to feed
- Robust heavy duty machine
- Best used on a Machine Table, purchased separately
- Large 215 mm diameter stainless steel cutting tools with replaceable knife blades
- Over 44 different heavy duty cutting tools available

Features the Hallde "PowerLink" which provides a leverage effect on the pusher plate, reducing manual exertion needed by about



half



• Speed 360rpm, best speed for precise

• Single Phase, 240V, 50hz 750w supplied with

• Three phase, 380-415v, 3-phase+N, 50hz

vegetable cutting

cord and 10 amp plug



### Safe and quick operation



For safe operation, the machine stops as soon as the pusher plate is swung aside. When swung back into place, it automatically restarts so you can continue working. The Full Moon Cylinder can hold larger quantities and whole products, which is particularly useful when processing large volumes.

### Cutting tools provide complete versatility



The RG-350 is a truly versatile machine that slices, dices, shreds, grates, cuts juliennes, crimping slices and potato chips - everything from firm to soft products.



The large 215 mm cutting tools enables faster processing times, whilst the knife blades and grating plates are replaceable saving you money over the longer term.



### **RG-350 Optional accessories**

Item No. Description

H1076 Wall Rack for 3 cutting tools
H10037 Cleaning Brush - small
H10020 Cleaning Brush - large

H40721 Container Trolley, stainless steel, with handle, lockable wheels,

adjustable level to suit gastronorm container 1/1-200

H25270 Machine Table, stainless steel fits full gastronorm container



Wall Rack for 3 cutting tools





### **RG-350 Cutting tools**

All cutting tools are dishwasher safe. Discs Ø 215 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



### Slicer ◆ ★

Item No.	Dimension
H63082	0.5 mm
H63081	1 mm
H63023	1.5 mm
H63026	2 mm
H63045	3 mm
H63056	4 mm
H63083	5 mm
H63046	6 mm
H63084	7 mm
H63042	8 mm
H63085	9 mm
H63033	10 mm



### High Capacity Slicer 💸

Item No.	Dimensio
H65040	2 mm
H65045	3 mm
H65041	4 mm
H65042	6 mm
H65043	8 mm
H65044	10 mm
H65018	12 mm
H65021	15 mm
H65024	20 mm



### Soft Slicer ◆ ★

Item No.	Dimensio
H62573	8 mm
H62575	10 mm
H62577	12 mm
H62579	15 mm



### Fine Cut Slicer ◆ ★

Item No.	Dimension
H62320	14 mm
H62322	20 mm



### Crimping Slicer \*

	_	
Item No.		Dimension
H63343		3 mm
H63074		4 mm
H63345		5 mm
H63039		6 mm



# High Capacity Crimping Slicer ❖◆

Item No.	Dimension
H65060	2 mm
H65063	3 mm
H65061	4 mm
H65062	6 mm



### Fine Grater, extra fine \*

	•
Item No.	Dimension
H62638	Fine Grater, extra fine



### Julienne Cutter \*

Item No.	Dimension
H63212	2x2 mm
H63348	2x6 mm
H63349	3x3 mm
H63061	4x4 mm
H63065	6x6 mm
H63073	8x8 mm
H63080	10x10 mm



# High Capacity Julienne Cutter ★❖

tem No.	Dimension
H65000	2x2 mm
H65049	2.5x2.5 mm
H65004	4x4 mm
H65007	6x6 mm
H65010	8x8 mm
165015	10x10 mm



### Grater/Shredder ★

Grater/Sn	reaaer 🛎
Item No.	Dimension
H62630	1.5 mm
H62631	2 mm
H62632	3 mm
H62633	4.5 mm
H62634	6 mm
H62635	8 mm
H62636	10 mm



### Fine Grater \*

Item No.	Dimension
H62637	Fine Grate



### Hard Cheese Grater ★

Item No.	Dimension
H62639	Hard Cheese Grate

**★** Blade replaceable

Some sizes may be used with dicing grids
 Double blades



### RG-350 Cutting tools continued

All cutting tools are dishwasher safe. Discs Ø 215 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.

### Dicing Grid ★

### - use with appropriate Slicers on page 17, as per below

Item No.	Dimension	Description
H37177	6x6 mm	Use with 3 mm-6 mm Slicers or 4 mm-6 mm High Capacity (HC) Slicers
H37178	8x8 mm	Use with 3 mm-8 mm Slicers, 8 mm Soft Slicer or 4 mm-8 mm High Capacity (HC) Slicers
H37179	10x10 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37180	12x12 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37181	12x12 mm Low	Use with 12 mm Soft Slicer or 12 mm High Capacity (HC) Slicer
H37182	15x15 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37183	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm Fine Cut Slicer or 12 mm-15 mm High Capacity (HC) Slicers
H37184	20x20 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37185	20x20 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm-20 mm Fine Cut Slicer or 12 mm-20 mm High Capacity (HC) Slicers
H37186	25x25 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37187	25x25 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm-20 mm Fine Cut Slicer or 12 mm-20 mm High Capacity (HC) Slicers



### Potato Chip Grid ★

H37176 10 mm Use only with 10 mm Slicer, 10 mm Soft Slicer or 10 mm High Capacity (HC) Slicer



### RG-350 Recommended cutting tool packages

Item No.	Description
H84015	Cutting tools 6-pack including 2 Wall Racks. Slicer 1.5, 4, 6 and 10 mm. Grater/Shredder 4.5 mm. Dicing Grid 10x10 mm
H84016	Cutting tools 9-pack including 3 Wall Racks. Slicer 1.5, 4, 6 and 10 mm. Julienne 4x4 mm. Grater/ Shredder 2 and 8 mm. Fine Grater. Dicing Grid 10x10 mm



H84015



Wall Rack for 3 cutting tools



H84016



Full Moon Feed Cylinder



Stacking of Tomatoes on Cylinder Wall



Feed Cylinder



Machine Washable Parts



# Vegetable Preparation Machine RG-300i

Food manufacturing capacity vegetable preparation. Make more than 50 different cuts. Slice, crimp, julienne, shred/grate, dice & potato chip.

Processes up to 3,000 portions/day, 40 kg/minute or up to 2.4 tons/hour. Duty cycle 7.2 tonnes/day.

- Robust design, manufactured in stainless steel, for commercial use and a long lifespan in tough environments
- 3 separate feeders for maximum flexibility
  - 1. Feed Hopper for continuous feeding of round products
  - 2. 4-Tube Insert for slicing long products
  - 3. Manual Push Feeder, Ergo Loop gives a leverage effect
- Handle and 2 wheels enables easy moving
- Removable insert tray in stainless steel (supplied with machine) enables quick easy cleaning, improving efficiency of operation between cuts
- Efficient start/stop function for continuous feeding

- Full moon shaped large Feed Cylinder
- Large 215 mm diameter stainless steel cutting tools with replaceable knife blades
- Over 44 different discs available to suit all requirements (see cutting tools list)
- Fast and easy cleaning, all removable parts can be cleaned in a dishwasher
- Three phase only 1500w, 400-415v, 3-phase+N, 50-60 hz

### Manual Feeder



The Ergo loop design gives a lever effect which also reduces the need for manual force when preparing large and hard products such as root vegetables, cabbage and cheese.

For safety, the machine stops when the feeder is moved to the side, and starts automatically when it covers the Feed Cylinder's opening.

### 4-Tube Insert



Enables you to cut long and narrow products standing, and round products in a specific direction. It gives support to a range of different sized items, such as cucumber and leeks

The tube is ideal to "bunch together" herbs, including parsley.

The feeder has four tubes with the following diameters:

73 mm (two tubes), 60 mm and 35 mm.

The rotating cutting tool is covered by the feeder at all times, enabling the machine to run continuously.

### Feed Hopper



Enables continuous bucket filling for preparation of primarily round products.

The capacity is very high because the machine runs constantly, making it extremely time efficient.

The RG-300i with a Feed Hopper is ideal for continuous production flow.



### RG-300i Optional accessories

Item No. Description H1076 Wall Rack for 3 cutting tools Cleaning Brush - small H10037 H10020 Cleaning Brush - large H37297 Spare Insert Tray (for high production fast cleaning) Container Trolley, stainless steel, with handle, lockable wheels, H40721 adjustable level to suit gastronorm container 1/1-200 H3208 Accessories Trolley, stainless steel, with lockable wheels H10844 Food Cutting Box, 64.5 litres H10843 Box Trolley with lockable wheels

Wall Rack

Cleaning Brush small/large

Box Trolley and Food Cutting Box



Spare Insert Tray



Container Trolley



Accessories Trolley (RG-300i & RG-400i)



### RG-300i Feed attachments

Item No. Description

Feed Cylinder for Manual Feeder (H47120) and 4-Tube Insert (H47505) H47129

H47120 Manual Push Feeder, ergo loop

4-Tube Insert incl. 2 pestles H47505 H47330 Feed Hopper incl. Cylinder

### Manual Push Feeder Setup

### 4 Tube Insert Setup

### Feed Hopper Setup















RG-300i with Manual Push Feeder

RG-300i with 4-Tube Insert









Machine Base



RG-300i with Feed Hopper

# RG-300i Cutting tools listed on Pages 24-25



# Vegetable Preparation Machine RG-400i-3PH

Food manufacturing capacity vegetable preparation. Make more than 50 different cuts. Slice, crimp, julienne, shred/grate, dice & potato chip.

Processes up to 5,000 portions/day, 60 kg/minute or up to 3.6 tons/hour.

- Robust design, manufactured in stainless steel, for commercial use and a long lifespan in tough environments
- 4 separate feeders for maximum flexibility
  - 1. Feed Hopper for continuous feeding of round products
  - 2. 4-Tube Insert for slicing long products
  - 3. Manual Push Feeder, Ergo Loop gives a leverage effect
  - 4. Pneumatic Push Feeder press the button to automatically push the food through
- Handle and 2 wheels enables easy moving
- Removable insert tray in stainless steel (supplied with machine) enables guick easy cleaning, improving efficiency of operation between cuts

- Efficient start/stop function for continuous feeding
- Full moon shaped large Feed Cylinder
- Large 215 mm diameter stainless steel cutting tools with replaceable knife blades
- Over 44 different discs available to suit all requirements (see cutting tools list)
- Fast and easy cleaning, all removable parts can be cleaned in a dishwasher
- Three phase only 1500w, 400-415v, 3-phase+N, 50-60 hz

### Manual Feeder



The Ergo loop design gives a lever effect which also reduces the need for manual force when preparing large and hard products such as root vegetables, cabbage and cheese.

For safety, the machine stops when the feeder is moved to the side, and starts automatically when it covers the Feed Cylinder's opening.

### 4-Tube Insert



Enables you to cut long and narrow products standing, and round products in a specific direction. It gives support to a range of different sized items, such as cucumber and leeks. The tube is ideal to



"bunch together" herbs, including parsley. The feeder has

four tubes with the



following diameters: 73 mm (two tubes), 60 mm and 35 mm. The rotating cutting tool is covered by the feeder at all times, enabling the machine

to run continuously.

### Feed Hopper



preparation of primarily round products. The capacity is very high because the machine runs

Enables continuous

bucket filling for




efficient. The RG-400i with a Feed Hopper is ideal for continuous production flow.



Dicing & chip compatible with optional cutting tools

### Pneumatic Push Feeder





The workload and time spent are minimised making it ideal for preparing larger quantities.

For safety, the machine stops when the feeder is moved to the side, and starts automatically when it covers the feeder cylinder's opening.

The Pneumatic Feeder has three variable speeds depending on what product is to be prepared.



### RG-400i-3PH Optional accessories

Box Trolley with lockable wheels

tem No.	Description
H1076	Wall Rack for 3 cutting tools
H10037	Cleaning Brush - small
H10020	Cleaning Brush - large
H37297	Spare Insert Tray (for high p
140704	C T II I

H10843



Cleaning Brush small/large

production fast cleaning) H40721 Container Trolley, stainless steel, with handle, lockable wheels, adjustable level to suit gastronorm container 1/1-200 H3208 Accessories Trolley, stainless steel, with lockable wheels. H10844 Food Cutting Box, 64.5 litres





Box Trolley and Food **Cutting Box** 



Spare Insert Tray



Container Trolley



Accessories Trolley (RG-300i & RG-400i)



### RG-400i-3PH Feed attachments

H37091 Continuous Feed Hopper (includes Feed Cylinder) H37106 Pneumatic Push Feeder

H37105 4 Tube Feeder H37063 Type A Feed Cylinder (includes three blades) H37060 Manual Push Feeder H37202 Type B Feed Cylinder (available on request)

### Manual Push Feeder, 4-Tube Insert Setup

Manual Push Feeder 4-Tube Insert (H37105) (H37060)



Feed Cylinder A (H37063)



Continuous Feed Hopper Setup

Feed Hopper (H37091)

Feed Cylinder for Feed Hopper (included with H37091)

### Pneumatic Push Feeder Setup

Pneumatic Push Feeder (H37106)



Feed Cylinder A (H37063)

Feed Cylinder A has three internal knives to fix and divide up the product during preparation. It is used with the Pneumatic Push Feeder, Manual Feeder or 4-tube insert. It is ideal for preparation of cabbage.

Feed Cylinder B with one internal wall is used for the Manual Feeder or the 4-tube insert. It is ideal for manually orienting products (stacking) for achieving appropriate cutting direction.



RG-400i with Manual Push Feeder



Feed Cylinder B (H37202)

(Available upon request)

RG-400i with 4-Tube Insert



**Cutting Tool** 



Ejector plate



Machine Base

The Feed Cylinder for the Feed Hopper is designed with two feed compartments that press the product down against the cutting tool during preparation.



RG-400i with Feed Hopper



RG-400i with Pneumatic Push Feeder



# Recommended packages for the RG-400i-3PH

Package	Item No.	Description	Starter pack	Standard pack	Comprehensive pack
Machine - (see page 21)	5HRG400	RG-400i Machine base	X	X	X
Feed attachments	H37063	Feed Cylinder A	Χ	X	X
	H37105	4-Tube Insert incl. 2 pestles	Χ	Х	Χ
	H37060	Manual Push Feeder, ergo loop	Х	X	
	H37091	Feed Hopper, incl. cylinder		Х	X
	H37106	Pneumatic push feeder			X
Accessories	H40721	Container Trolley	Χ	Х	X
, 10000001.100	H3208	Accessories Trolley		Х	X
	H37297	Tray (one is supplied with new machines)	Х	Х	X
Cutting Tool Packs  All Cutting Tools are made of stainless steel and can be	6-pack* H84015	2 Wall Racks (H1076), Slicer 1.5 mm (H63023), Slicer 4 mm (H63056), Slicer 6 mm (H63046), Slicer 10 mm (H63033), Grater/Shredder 4.5 mm (H62633), Dicing Grid 10x10 mm (H37179)	X		
washed in the dishwasher.	9-pack* H84016	3 Wall Racks (H1076), Slicer 1.5 mm (H63023), Slicer 4 mm (H63056), Slicer 6 mm (H63046), Slicer 10 mm (H63033), Julienne Cutter 4x4 mm (H63061), Grater/Shredder 2 mm (H62631), Grater/Shredder 8 mm (H62635), Fine Grater (H62637), Dicing Grid 10x10 mm (H37179)		X	×

<sup>\*</sup>Individual items sold separately



Machine Base



Feed Cylinder A



4-Tube Insert incl. 2 pestles



Manual Push Feeder, Ergo Loop





Tray (included with machine)



Container Trolley



Cutting Tool 6-pack



Machine Base



Feed Cylinder A



4-Tube Insert incl. 2 pestles



Manual Push Feeder, Ergo Loop





Feed Hopper (left), includes Feed Cylinder (right)





Tray (included machine)



Container Trolley





Accessories Trolley Cutting Tool 9-pack

### Comprehensive Pack



Machine Base



Feed Cylinder A



4-Tube Insert incl. 2 pestles



Pneumatic Push Feeder



Feed Hopper (left), includes Feed Cylinder (right)



Tray (included with machine)



Container Trolley





Accessories Trolley Cutting Tool 9-pack



### RG-300i & 400i-3PH Cutting tools

All cutting tools are dishwasher safe. Discs Ø 215 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



### Slicer ◆ ★

Dimension
0.5 mm
1 mm
1.5 mm
2 mm
3 mm
4 mm
5 mm
6 mm
7 mm
8 mm
9 mm
10 mm



### High Capacity Slicer 💸

	,
Item No.	Dimension
H65040	2 mm
H65045	3 mm
H65041	4 mm
H65042	6 mm
H65043	8 mm
H65044	10 mm
H65018	12 mm
H65021	15 mm
H65024	20 mm



### Soft Slicer ◆★

Item No.	Dimension
H62573	8 mm
H62575	10 mm
H62577	12 mm
H62579	15 mm



### Crimping Slicer★

Item No.	Dimension
H63343	3 mm
H63074	4 mm
H63345	5 mm
H63039	6 mm



### Julienne Cutter\*

Item No.	Dimension
H63212	2x2 mm
H63348	2x6 mm
H63349	3x3 mm
H63061	4x4 mm
H63065	6x6 mm
H63073	8x8 mm
H63080	10x10 mm



### Fine Cut Slicer ★◆

Item No.	Dimension
H62320	14 mm
H62322	20 mm



# High Capacity Crimping Slicer \*

Item No.	Dimension
H65060	2 mm
H65063	3 mm
H65061	4 mm
H65062	6 mm



# High Capacity Julienne Cutter★❖

Item No.	Dimension
H65000	2x2 mm
H65049	2.5 x 2.5 mm
H65004	4x4 mm
H65007	6x6 mm
H65010	8x8 mm
H65015	10x10 mm



### Grater/Shredder★

Item No.	Dimension
H62630	1.5 mm
H62631	2 mm
H62632	3 mm
H62633	4.5 mm
H62634	6 mm
H62635	8 mm
H62636	10 mm



Fine Grater \*

Item No.	Dimension
H62637	Fine Grater



### Hard Cheese Grater ★

Item No.	Dimension
H62639	Hard Chees
	Grater



### Fine Grater, extra fine ★

Item No.	Dimension
H62638	Fine Grater, extra

★ Blade replaceable
 ◆ Some sizes may be used with dicing grids
 ❖ Double blades



Manual Handle



Manual Feed



4-Tube Insert



Pneumatic Push Feeder



Feed Hopper



### RG-300i & 400i-3PH Cutting tools continued

All cutting tools are dishwasher safe. Discs  $\emptyset$  215 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.

### Dicing Grid ★

- use with appropriate Slicers on page 24, as per below

Item No.	Dimension	Description
H37177	6x6 mm	Use with 3 mm-6 mm Slicers or 4 mm-6 mm High Capacity (HC) Slicers
H37178	8x8 mm	Use with 3 mm-8 mm Slicers, 8 mm Soft Slicer or 4 mm-8 mm High Capacity (HC) Slicers
H37179	10x10 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37180	12x12 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37181	12x12 mm Low	Use with 12 mm Soft Slicer or 12 mm High Capacity (HC) Slicer
H37182	15x15 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37183	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm Fine Cut Slicer or 12 mm-15 mm High Capacity (HC) Slicers
H37184	20x20 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37185	20x20 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm-20 mm Fine Cut Slicer or 12 mm-20 mm High Capacity (HC) Slicers
H37186	25x25 mm	Use with 3 mm-10 mm Slicers, 8 mm-10 mm Soft Slicers or 4 mm-10 mm High Capacity (HC) Slicers
H37187	25x25 mm Low	Use with 12 mm-15 mm Soft Slicers, 14 mm-20 mm Fine Cut Slicer or 12 mm-20 mm High Capacity (HC) Slicers





### Potato Chip Grid ★

Item No. Dimension Description

H37176 10 mm Use only with 10 mm Slicer, 10 mm Soft Slicer or 10 mm High Capacity (HC) Slicer



### 300i & 400i-3PH Recommended cutting tool packages

Item No.	Description
H84015	Cutting tools 6-pack including 2 Wall Racks. Slicer 1.5, 4, 6 and 10 mm. Grater/Shredder 4.5 mm. Dicing Grid 10x10 mm
H84016	Cutting tools 9-pack including 3 Wall Racks. Slicer 1.5, 4, 6 and 10 mm. Julienne 4x4 mm. Grater/ Shredder 2 and 8 mm. Fine Grater. Dicing Grid 10x10 mm



H84015



H84016



Wall Rack for 3 cutting tools





Easy to move



Easy to change options



Machine washable parts



# Tips and Tricks

### Tool Storage and Rack Installation



Wall Rack for 3 cutting tools. Excellent space saving design that ensures safe and convenient storage, while preventing unnecessary wear of the knife edges. The Wall Rack can be installed vertically or horizontally. If installed vertically, the top is where the screw hole is closest to the edge, as the posts are slightly angled so tools do not slip off.

### When to Replace Your Blade



Slicing a lemon is a great way to tell if your blade needs replacing. If the pips slice, the blade is still sharp. If the pips stay whole, it's time to replace the blade.

Image shows pips sliced and remaining within the slice of lemon, therefore the blade is still sharp.

### Make Cheese Grating Easier



To make cheese grating easier, place the cheese in the freezer bringing the temperature down to approximately 3-4°C (do not freeze) prior to grating. Chilling the cheese makes it firmer, producing less drag on the blade during grating.

### Order of Dicing



When dicing a variety of products, always dice softest food such as strawberry before harder foods such as apples. This ensures soft food doesn't jam behind hard food that may remain in the dicing grid.



### Orientation of Food for Correct Slicing



Consider the orientation of food in the Feed Cylinder to produce the correct cut eg carrots laid flat in the cylinder produce long ribbon cuts, whereas placed in the feed tube, it produces horizontal slices.

### Soft Fruit and Vegetables



For perfect results when you need to dice soft fruits and vegetables use the Soft Slicer, in combination with a suitable Dicing Grid.

### Make Use of the Feed Cylinder Wall



The Feed Cylinder wall is designed

to stack produce such as tomatoes for correct slicing orientation. For example tomatoes stacked top to bottom against the Feed Cylinder wall slices them across the middle as shown to the left.

### Cleaning a Dicing Grid



When finished using the dicing grid, use a hard carrot as a tool to push ingredients out of the grid before cleaning with a bristle brush.













# Hallde Combi Cutters



### Type of Processing

Vertical Cutter Blender Attachment: chops, grinds, mixes, purées, blends and minces meat, aromatic butter, dressings, desserts, purées, pâtés, soups and more.

Vegetable Preparation Attachment: slices, dices, grates, shreds, cuts julienne and crimping slices in a variety of dimensions depending on model selected.

### Suitable For

Hallde's range suits the smallest café up to medium sized kitchens.

Perfect for kitchens preparing texture custom food at hospitals, retirement homes and more.

### Why choose a Hallde Combi Cutter?

- Two machines in one!
- Automatic speed setting for the two separate attachments – gives perfect result with both functions:
- 1. Vegetable Preparation attachment (low speed/s)
- 2. Vertical Cutter Blender attachment (high speed/s)
- Cutting tools and bowl scraper included
- Time-efficient solutions
- Fast and easy cleaning
- Easy moving and storing
- Exemplary safety
- Outstanding quality

### Vegetable Preparation Attachment

- Efficient start/stop function
- A precise and clean cut
- A wide selection of cutting tools

### Vertical Cutter Blender Attachment

- Smooth and even result
- Processes all consistencies raw or cooked/dry or liquid
- Serrated knifes for long lasting sharpness











One machine base, two attachments - Double functions!

Does not dice for dicing see CC-34

# Combi Cutter CC-32S

Combi machine with veg prep & cutter/mixer attachment included. Slice, crimp, julienne & shred/grate - 80 portions/day, 2kg/minute. Chop, mix, grind, purée/blend & mince.

Stainless steel bowl gross volume 3 litres, net liquid volume 1.4 litres. Duty cycle 360kg/day.

- Automatic speed setting for the separate attachments - gives perfect result with both functions
- Fast and easy cleaning, all loose parts are machine washable
- Time saving

- Lightweight and easy to move
- Table top model
- 1000w, supplied with cord and 10 amp plug

### Vegetable Preparation Attachment

- 1 speed, 500 rpm
- A precise and clean cut
- Efficient start/stop function for continuous feeding
- Built-in tube feeder with half moon feed head



### Smart functions

The CC-32S has a patented scraper system with three scraper arms. These keep the lid and the inside of the bowl clean, at the same time as moving the ingredients towards the knives during preparation for more efficient processing.

The design and angle of the knives, in combination with the scrapers, means the ingredients are turned in the bowl giving the content a uniform texture. This gives perfect results quickly. The knives are serrated making them more wear resistant.





### Cutter/Bowl Attachment

- 1 speed, 1,450 rpm
- Processes all consistencies, raw or cooked/dry or liquid
- Serrated knife blades for long-lasting sharpness
- Patented scraper system for fast and even result



### Double safety

If the Feed Cylinder is removed, the power is cut. Thanks to this double security there is no risk of the machine starting with an unprotected knife.

### CC-32S Accessories

Item No. Description

H1076 Wall Rack for 3 cutting tools H10037 Cleaning Brush - small

Cleaning Brush - large H10020



Cleaning Brush small/large





















Cutter/Bowl Attachment

Feed Cylinder

**PLUS** 













### CC-32S Cutting tools

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



Slicer <sup>ૠ</sup>	
Item No.	Dimension
H85001	1 mm
H85002	2 mm
H85004	1 mm

H85006



Fine Cut Slicer\* H83373 15 mm



Julienne Cutter<sup>™</sup> H85057 2x2 mm H85050 4x4 mm



Grater/Shredder<sup>₩</sup> H85044 2 mm H85040 4 mm H85045 6 mm



Dimension H83215 Fine Grater

Fine Grater\*



6 mm

Slicer★	
Item No.	Dimension
H63159	0.5 mm
H63157	1 mm
H63109	1.5 mm
H63114	2 mm
H63161	3 mm
H63089	4 mm
H63163	5 mm
H63094	6 mm
H63165	7 mm
H63099	8 mm
H86030	9 mm
H63104	10 mm



Crimping Slicer<sup>₩</sup> Item No. Dimension H85048 4 mm



Crimping Slicer★ Item No. Dimension H63362 2 mm H63363 3 mm H63141 4 mm H63365 5 mm H63149 6 mm



Julienne Cutter\* Item No. Dimension H63122 2x2 mm H63346 2x6 mm H63350 3x3 mm H63128 4x4 mm



Grater/Shredder ★ Item No. Dimension H83210 1.5 mm H83211 2 mm H83212 3 mm H83213 4.5 mm H83216 6 mm 8 mm H83214 10 mm H83272



Hard Cheese Grater ★ Item No. Dimension H83249 Hard Cheese Grater



### Fine Grater, extra fine★

Item No. Dimension H83284 Fine Grater, extra fine

★ Blade replaceable ₩ Blade NOT replaceable

### CC-32S Recommended cutting tool packages

Item No.	Description
H84081	Cutting tools 2-pack. Slicer 4 mm. Grater/Shredder 4 mm
H84082	Cutting tools 4-pack. Slicer 2 and 4 mm. Grater/Shredder 4 mm. Julienne 2x2 mm



H84081



H84082





Scraper System









Easy to move Machine washable parts

Add during process

Serrated knife blades













One machine base, two attachments - Double functions!

Dicing compatible with optional cutting tools

# Combi Cutters CC-34

Combi machine with veg prep & cutter/mixer attachment included. Slice, crimp, julienne shred/grate & dice - 80 portions/day, 2kg/minute.

Chop, mix, grind, purée/blend & mince.

Stainless steel bowl gross volume 3 litres, net liquid volume 1.4 litres. Duty cycle 360kg/day.

- Automatic speed setting for the separate attachments – gives perfect result with both functions
- Fast and easy cleaning, all loose parts are machine washable
- Time saving

- Lightweight and easy to move
- Table top model
- 1000w, supplied with cord and 10 amp plug

### Vegetable Preparation Attachment

- 2 speed, 500/800 rpm
- A precise and clean cut
- Efficient start/stop function for continuous feeding
- Built-in tube feeder with half moon feed head
- Dicing compatible



### Smart functions

The CC-34 has a patented scraper system with three scraper arms. These keep the lid and the inside of the bowl clean at the same time as moving the ingredients towards the knives during preparation for more efficient processing.

The design and angle of the knives, in combination with the scrapers, means the ingredients are turned in the bowl giving the content a uniform texture. This gives perfect results quickly. The knives are serrated making them more wear resistant.





### Cutter/Bowl Attachment

- 2 speed, 1,450/2,650 rpm
- Processes all consistencies, raw or cooked/dry or liquid
- Serrated knife blades for long-lasting sharpness
- Patented scraper system for fast and even result



### Double safety

If the feed cylinder is removed the power is cut. Thanks to this double security there is no risk of the machine starting with an unprotected knife.

### CC-34 Accessories

Item No. Description

H10037 Cleaning Brush - small H10020 Cleaning Brush - large



Cleaning Brush small/large

### CC-34 Recommended cutting tool packages

Item No.	Description
H84081	Cutting tools 2-pack. Slicer 4 mm. Grater/Shredder 4 mm
H84082	Cutting tools 4-pack. Slicer 2 and 4 mm. Grater/Shredder 4 mm. Julienne 2x2 mm



H84081




H84082











Cutter/Bowl Attachment

Feed Cylinder

Feed Cylinder

Stacking of tomatoes

# **PLUS**













### CC-34 Cutting tools

All cutting tools are dishwasher safe. Discs Ø 185 mm. See cutting tool guide pages 6-7 for tool descriptions and uses.



### Slicer ◆ ★

Silect	
Item No.	Dimension
H63159	0.5 mm
H63157	1 mm
H63109	1.5 mm
H63114	2 mm
H63161	3 mm
H63089	4 mm
H63163	5 mm
H63094	6 mm
H63165	7 mm
H63099	8 mm
H86030	9 mm
H63104	10 mm



### 

Item No.	Dimension
H85001	1 mm
H85002	2 mm
H85004	4 mm
H85006	6 mm



### Crimping Slicer<sup>₩</sup>

Item No.	Dimensio
H85048	4 mm



### Julienne Cutter#

Item No.	Dimension
H85057	2x2 mm
H85050	4x4 mm



### Grater/Shredder<sup>₩</sup>

Item No.	Dimension
H85044	2 mm
H85040	4 mm
H85045	6 mm



### Soft Slicer ★◆

Item No.	Dimension
H83375	8 mm
H83364	10 mm
H83385	12 mm
H83383	15 mm



# Crimping Slicer★

-	
Item No.	Dimension
H63362	2 mm
H63363	3 mm
H63141	4 mm
H63365	5 mm
H63149	6 mm



### Julienne Cutter\*

Item No.	Dimension
H63122	2x2 mm
H63346	2x6 mm
H63350	3x3 mm
H63128	4x4 mm



### Grater/Shredder★

Item No.	Dimension
H83210	1.5 mm
H83211	2 mm
H83212	3 mm
H83213	4.5 mm
H83216	6 mm
H83214	8 mm
H83272	10 mm



Fine Cut Slicer ★ ◆

Item No. Dimension H83373 15 mm

₩ Blade NOT replaceable





Fine Grater★

Item No. Dimension H83215 Fine Grater



### Hard Cheese Grater★

em No.	Dimension
183249	Hard Cheese Grater



### Fine Grater, extra fine★

tem No.	Dimension
H83284	Fine Grater,
	extra fine



Dicing Grid ₩

**★** Blade replaceable

### - use with appropriate Slicers above, as per below

• Some sizes can be used with dicing grids

▲ Slicer style cannot be used with dicing grids

- use with appropriate silicers above, as per below		
Item No.	Dimension	Description
H83291	8x8 mm	Use with 3 mm-8 mm Slicers or 8 mm Soft Slicer
H83292	10x10 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83293	12x12 mm	Use with 3 mm-10 mm Slicers or 8 mm-10 mm Soft Slicers
H83294	12x12 mm Low	Use with 12 mm Soft Slicer
	15x15 mm	Use with 3 mm–10 mm Slicers or 8 mm-10 mm Soft Slicers
	15x15 mm Low	Use with 12 mm-15 mm Soft Slicers or 15 mm Fine Cut Slicer













Easy to move

Machine washable parts







# Hallde Vertical Cutter Blenders/Mixers

### Type of Processing

Chops, grinds, mixes, purées, blends and minces meat, aromatic butter, dressings, desserts, purées, pâtés, soups and more.

### Suitable For

Hallde's range suits the smallest café up to large commercial kitchens.

Perfect for kitchens preparing texture custom food at hospitals, retirement homes and more.

15 seconds

# 5 seconds

# Why choose a Hallde Vertical Cutter Blender/Mixer?

- Time-saving scraper system patented
- Processes all consistencies raw or cooked/dry or liquid
- Smooth and even result
- Serrated knifes for long lasting sharpness
- Fast and easy cleaning
- Exemplary safety
- Outstanding quality
- Easy moving and storing

0 seconds













# Vertical Cutter Blender VCB-32

Chops, grinds, mixes, purées, blends and minces.

Processes a variety of food such as meat, fish, fruit, vegetables, herbs, nuts, parmesan and chocolate.

Ideal for dressings, herb oils, aromatic butters, thickenings, mayonnaise, sauces, soups, minced meats, purees and pâtés.

Stainless steel bowl gross volume 3 litres, net liquid volume 1.4 litres.

- ABS machine housing
- 2 Speed 1,450 rpm & 2,650 rpm
- Pulse function
- Powerful high torque motor
- Hallde patented scraper system
- Serrated knife blade for long lasting sharpness
- Fast processing to desired consistency and texture
- Impact & heat resistant Xylex lid
- Carry handles for easy moving
- Ideal for wet, dry & liquid foods
- 240v, 1,000w, supplied with cord and 10 amp plug



### Patented scraper

The VCB-32 has a scraper system designed to prevent food getting stuck on the inside and the lid of the bowl. The three scraper arms keep the lid and the inside of the bowl clean as well as moving the ingredients back towards the knives making the blend more efficient. This patented function enables the knives to cut the contents more effectively, shortening preparation time considerably.





### Small and versatile

Hallde's VCB-32 is a versatile vertical cutter/blender for the smaller kitchen. It is small in size but has smart functions which always ensures perfect and even results.



The VCB-32 has two individual safety switches ensuring that you can only start the machine if the bowl and lid have been correctly fitted.





Almond paste



Pesto/Hummus



Dessert



Pastries



Vegetarian patties



Add during process



Scraper System



Serrated knife blades



Easy to move



Machine washable parts













# Vertical Cutter Mixers VCM-41

Chops, grinds, mixes, purées, blends and minces. Stainless steel bowl gross volume 4 litres, net liquid volume 1.5 litres.

- Metal machine housing
- 1 Speed 1,500 rpm & pulse function
- Powerful high torque motor
- Hällde patented scraper system
- Serrated knife blade for long lasting sharpness
- Fast processing to desired consistency and texture
- Impact & heat resistant Xylex lid and scraper system
- Carry handles for easy moving
- Ideal for wet, dry & liquid foods
- Electrical: 240v, 550w supplied with cord and 10 amp plug



VCM-41

### Four-armed scraper

The scraper system is designed to prevent food getting stuck on the inside and the lid of the bowl, where the knives are unable to reach. The scraper arms keep the lid and the inside of the bowl clean. At the same time they move the ingredients back towards the knives. The VCM's scraper system has



This patented function means that the rotation of the ingredients in the bowl is stopped enabling the knives to cut the contents more effectively. This accelerates preparation time considerably and minimises the heat release that arises when preparing.

### Exemplary safety features

The VCM has three individual safety switches. You can only start the machine if the bowl, lid and safety arm have been correctly fitted. The VCM has a mechanical motor brake which means the knives stop rotating



immediately when the safety arm is turned to the side. As the motor brake is mechanical, it also works in the event of electrical faults or power failures.

### Powerful knife unit

The VCM has a generously sized knife unit of acetal with two large knives that effectively cut through the ingredients. The removable knives are serrated in order to maintain their sharpness longer.



### Easy to carry

Both the machine and bowl have two large handles that make them easy to carry even if you have wet hands.



### Add during process

The lid has a 5 cm wide feed tube for filling while the machine is running, making it easy to add food during processing.



### Machine washable parts

For rapid cleaning, all loose components are easy to remove making the machine easy to rinse. All loose parts can be washed in the dishwasher.



**PLUS** 













# Vertical Cutter Mixers VCM-42-3PH

Has all the same features and benefits as the VCM-41 except:

- 2 speed 1,500 and 3,000 rpm & pulse function
- Electrical: 240v, 750w, 3 phase supplied un-plugged



VCM-42-3PH

# Vertical Cutter Blenders VCB-62-3PH

Has all the same features and benefits as the VCB-61 except:

- 2 speed 1,500 and 3,000 rpm & pulse function
- Electrical: 240v, 750w, 3 phase supplied un-plugged



VCB-62-3PH

# VCM-41, VCM-42-3PH, VCB-61 & VCB-62-3PH Results















Mince

# Vertical Cutter Blenders VCB-61

Chops, grinds, mixes, purées, blends and minces. Stainless steel bowl gross volume 6 litres, net liquid volume 4.3 litres.

- Metal machine housing
- 1 speed 1,500 rpm and pulse function
- Powerful high torque motor
- Hallde patented scraper system
- Fast processing to desired consistency and texture
- Serrated knife blade for long lasting sharpness
- Hallde patented 4 knife design
- Carry handles for easy moving
- Electrical: 240v, 1,500w supplied with cord and 10 amp plug



VCB-61

### Perfect and even results every time

The combination of the bowl, scraper and knife unit works together, delivering best in class results.

- When the knife unit rotates, the large cutting knives cut up the ingredients while pressing them forwards and out towards the side of the bowl
- When the ingredients reach the edge of the bowl, their rotation is stopped and the four scraper arms throw them back towards the knives
- While the scraper keeps the ingredients away from the inside of the bowl, the hexagonal shape of the knife unit forces the ingredients to bounce away from the middle





The smaller turning knives, which are unique to VCB, presses the ingredients down towards the cutting knives and turns them around ensuring the entire contents of the bowl are prepared equally and you get a more even result.

These functions allow you to shorten preparation time significantly and thereby reduce the heat release that may arise in the bowl.

### Exemplary safety features

The VCB has three individual safety switches. You can only start the machine if the bowl, lid and safety arm have been correctly fitted. The VCB has a mechanical motor brake which means the knives stop rotating immediately when the safety arm is turned to the side. As the motor brake is mechanical, it also works in the event of electrical faults or power failures.



### Easy to carry

Both the machine and bowl have two large handles that make them easy to carry even if you have wet hands.

### Machine washable parts

For rapid cleaning, all loose components are easy to remove making the machine easy to rinse. All loose parts can be washed in the dishwasher.







# Food Blender SB-4

# SB-4 the most versatile kitchen blender with its unique ergonomic design.

The SB-4 is a robust, strong and extremely safe machine, built with high quality components to cope with the highest demands and workloads in the kitchen. SB-4 blends, mixes and stirs dressings, herb oils, sauces, thickenings, soups, desserts, milk shakes, juices, etc.

The blender is designed for applications such as restaurants, schools, hospitals, kindergarten, home care, canteens, prisons, marine, hotels, flight catering, bakery, QSR's and supermarkets that demand the highest durability and cutting performance.

SB-4 has a stable and low working height, ergonomic machine base with hinge holder and built in safety switch, and handles for easy mobility. The jug is transparent, graded in ounces/cups/litres, heat resistant and has an extremely strong drop free design in Xylex. It has exchangeable knife blades and is designed for machine washing.



Item No. Dimension Description

5HSB4 365 x 270 x 440 4ltr Xylex container capacity 700 - 15000rpm 6.3kg net weight 8.5g packed net weight 1350w


### Accessories

Item No. Description


H23307 4ltr jug including Knife Unit and lid

# Machine Dimensions and Net Weights


# RG-50S & RG-50 RG-50S RG-50 RG-50S RG-50 RG-50S / RG-50 Attachments • Machine base: 7 kg. • Vegetable Preparation attachment: 1 kg • Cutting tools: 0.3 kg.









# RG-250 & RG-250 diwash




### **RG-350**

- Machine: 32 kg.
- Cutting tools: 1 kg.









### **RG-300i**

# 490



002





- RG-300i
- Machine base: 37 kg.
- Feeder cylinder: 6 kg.


- Manual Feeder: 5.8 kg.
- Feed Hopper with feeder cylinder: 11 kg.
- 4-Tube Insert: 5 kg.

- Tray: 1.5 kg.
- Cutting tool: 1 kg.





### **RG-400i-3PH** Manual Push Feeder Setup
















### RG-400i-3PH

- Machine base: 63 kg.
- Feed Cylinder: 6 kg.
- Manual Feeder: 7.5 kg.
- 4-tube insert: 5 kg.
- Pneumatic Push Feeder: 12 kg.
- Feed Hopper with Feed Cylinder: 12 kg.
- Cutting tools: 1 kg.
- Tray: 1.5 kg.









### CC-32S, CC-34

### CC-32S

Machine base: 7 kg.

### CC-34


Machine base: 8.6 kg.


### CC-32S / CC-34 Attachments


- Vegetable Preparation attachment: 1 kg
- Vertical cutter attachment: 1.4 kg
- Cutting tools: 0.3 kg.












420


350

### VCB-32

• Machine base: 8.6 kg.

• Bowl complete: 1.4 kg.






### VCM-41 & VCM-42-3PH

290

• Machine bases: VCM-41: 17 kg. VCM-42-3PH: 16.6 kg


• Bowl complete:



### VCB-61 & VCB-62-3PH

• Machine bases: VCB-61: 25 kg. VCB-62-3PH: 25 kg

• Bowl complete: 2.6 kg.





Metcalfe Catering Equipment Ltd Haygarth Park Blaenau Ffestiniog Gwynedd North Wales LL41 3PF United Kingdom

- t +44 (0) 1766 830 456
- f +44 (0) 1766 831 170
- e info@metcalfecatering.com
- w www.metcalfecatering.com

